

“DESIGN POOLS FOR EVERYONE”

Our range of glass mosaics comes with a clear mission: to make designer pools accessible to everyone.

With this goal in mind, we apply cutting-edge production technologies and innovative designs, so that anyone can create an exclusive pool at an affordable price.

Ready to join our revolution?

La nostra gamma di mosaici in vetro ha una missione chiara: rendere le piscine di design accessibili a tutti.

Con questo obiettivo, applichiamo tecnologie di produzione all'avanguardia e design innovativi, affinché chiunque possa realizzare una piscina esclusiva a un prezzo accessibile.

Pronto a unirti alla nostra rivoluzione?





“WE ARE ECO”

Reusing materials, in our case glass, is one of the ways that we can contribute to the wellbeing of our planet.

All the mosaic tiles we manufacture are made of recycled glass, but our commitment to the environment goes further than this, and also includes our machinery (100% electric), production processes and even our packaging.

We offer a wide range of colours and designs, but they have one thing in common: they are all green.


How about you?

Il riutilizzo dei materiali, nel nostro caso il vetro, è uno dei modi con cui contribuiamo al benessere del pianeta.

Tutti i mosaici che produciamo sono realizzati con vetro riciclato, ma il nostro impegno ambientale si estende anche ai macchinari (tutti elettrici), ai processi produttivi e persino al packaging.

Offriamo mosaici con colori e design molto diversi, ma hanno tutti qualcosa in comune: sono tutti verdi.

E tu, lo sei?



02 / COMPANY

06 / INDEX

08 / GENUINE

16 / GENUINE PEARL

20 / SPIRIT

28 / IDENTITY

46 / IDENTITY FIFTY

54 / STONE FIFTY

58 / SAND ROCK

62 / SPECIAL FINISHES

70 / DIGITAL PRINT

72 / TECHNICAL AREA

68 / TECHNICAL CHARACTERISTICS

74 / ABOUT MOSAIC

76 / DOT LINK

78 / PACKING DETAILS

79 / APPLICATION ADVICE

80 / SQUAMERS




/ GN500-A

GENUNE



GN100 / Ref. 5584 / P10 2,5x2,5 cm / Packing One




GN102 / Ref. 5613 / P10 2,5x2,5 cm / Packing One




GN200 / Ref. 5612 / P10 2,5x2,5 cm / Packing One




GN401 / Ref. 5608 / P10 2,5x2,5 cm / Packing One



GN104 / Ref. 5583 / P10 2,5x2,5 cm / Packing One



GN105 / Ref. 5582 / P10 2,5x2,5 cm / Packing One




GN201 / Ref. 5587 / P10 2,5x2,5 cm / Packing One



GN300 / Ref. 5611 / P10 2,5x2,5 cm / Packing One




GN400 / Ref. 5609 / P10
2,5x2,5 cm / Packing One




/ GN400

GENUINE

013



GN104-A / Ref. 3918 / P50 2,5x2,5 cm / Packing One




GN105-A / Ref. 4482 / P50 2,5x2,5 cm / Packing One




GN100-F / Ref. 5607 / P30 2,5x2,5 cm / Packing One



GN401-A / Ref. 4415 / P50 2,5x2,5 cm / Packing One



GN500-A / Ref. 3664 / P50 2,5x2,5 cm / Packing One




GN500-F / Ref. 5588 / P10 2,5x2,5 cm / Packing One




/ Pearl 201

GENUINE
PEARL




Pearl 100 / Ref. 5606 / P60 *2,5x2,5 cm / Packing One*



Pearl 103 / Ref. 5605 / P60 *2,5x2,5 cm / Packing One*



Pearl 201 / Ref. 5604 / P60 *2,5x2,5 cm / Packing One*



Pearl 400 / Ref. 5603 / P60 *2,5x2,5 cm / Packing One*



Pearl 500 / Ref. 5602 / P60 *2,5x2,5 cm / Packing One*




/ Zebra

SPIRIT



Koi / Ref. 5599 / P30 2,5x2,5 cm / Packing One



Tetra / Ref. 5600 / P30 2,5x2,5 cm / Packing One




Mimic / Ref. 5586 / P30 2,5x2,5 cm / Packing One



Spiny / Ref. 5585 / P30 2,5x2,5 cm / Packing One




SPIRIT




Orbic / Ref. 5601 / P30

2,5x2,5 cm / Packing One



Ray / Ref. 5597 / P40

2,5x2,5 cm / Packing One



Sandy / Ref. 5598 / P30

2,5x2,5 cm / Packing One




Zebra / Ref. 5596 / P40

2,5x2,5 cm / Packing One



SPIRIT




Goby / Ref. 5593 / P40

2,5x2,5 cm / Packing One




Ember / Ref. 5595 / P40

2,5x2,5 cm / Packing One



Barbo / Ref. 5594 / P40

2,5x2,5 cm / Packing One



Emperor / Ref. 5589 / P40

2,5x2,5 cm / Packing One







/ Caimán

IDENTITY


IDENTITY




Shark / Ref. 5639 / P40 2,5x2,5 cm / Packing One



Baleen / Ref. 5636 / P40 2,5x2,5 cm / Packing One




Papuan / Ref. 5638 / P40 2,5x2,5 cm / Packing One




Betta Fish / Ref. 5641 / P20 2,5x2,5 cm / Packing One




IDENTITY




Oranda / Ref. 5620 / P40 2,5x2,5 cm / Packing One



Coney / Ref. 5633 / P40 2,5x2,5 cm / Packing One



Gramma / Ref. 5619 / P40 2,5x2,5 cm / Packing One



Phiphi / Ref. 5592 / P20 2,5x2,5 cm / Packing One



IDENTITY




Kidako / Ref. 5637 / P40 2,5x2,5 cm / Packing One



Malawi / Ref. 5617 / P40 2,5x2,5 cm / Packing One



Atai / Ref. 5591 / P40 2,5x2,5 cm / Packing One




Addis / Ref. 5618 / P20 2,5x2,5 cm / Packing One




IDENTITY




Kidako Lum / Ref. 5905 / P60 2,5x2,5 cm / Packing One



Atai Lum / Ref. 5943 / P60 2,5x2,5 cm / Packing One





Kauai / Ref. 5631 / P40 2,5x2,5 cm / Packing One



Allion / Ref. 5962 / P40 2,5x2,5 cm / Packing One



Namazu / Ref. 6270 / P40 2,5x2,5 cm / Packing One




Okoze / Ref. 5629 / P40 2,5x2,5 cm / Packing One




IDENTITY



Wana / Ref. 5632 / P50 2,5x2,5 cm / Packing One



Fiji / Ref. 5635 / P40 2,5x2,5 cm / Packing One



Jenysia / Ref. 5630 / P40 2,5x2,5 cm / Packing One



Jinyu / Ref. 5627 / P20 2,5x2,5 cm / Packing One



IDENTITY



Yasha / Ref. 5634 / P40 2,5x2,5 cm / Packing One



Musa / Ref. 6261 / P50 2,5x2,5 cm / Packing One



Seal / Ref. 5642 / P20 2,5x2,5 cm / Packing One



Doga / Ref. 6262 / P50 2,5x2,5 cm / Packing One



/ Yasha


IDENTITY




Esturion / Ref. 5640 / P40 2,5x2,5 cm / Packing One



Brigit / Ref. 5964 / P50 2,5x2,5 cm / Packing One



Caiman / Ref. 5590 / P40 2,5x2,5 cm / Packing One



Shibun / Ref. 5963 / P40 2,5x2,5 cm / Packing One







/ Fifty Kidako

IDENTITY
IDENTITY


IDENTITY FIFTY



Fifty Shark / Ref. 6053 / P80
5x5 cm / Packing Two




Fifty Kidako / Ref. 6069 / P80
5x5 cm / Packing Two



Fifty Oranda / Ref. 6144 / P70
5x5 cm / Packing Two




Fifty Atai / Ref. 6142 / P70
5x5 cm / Packing Two




Fifty Baleen / Ref. 6052 / P70
5x5 cm / Packing Two




IDENTITY FIFTY



Fifty Wana / Ref. 6141 / P80
5x5 cm / Packing Two



Fifty Namazu / Ref. 6269 / D30
5x5 cm / Packing Two



Fifty Okoze / Ref. 6057 / D30
5x5 cm / Packing Two




Fifty Shibun / Ref. 6143 / P70
5x5 cm / Packing Two



IDENTITY FIFTY



Fifty Esturion / Ref. 6051 / P80
5x5 cm / Packing Two



Fifty Brigit / Ref. 6140 / P70
5x5 cm / Packing Two



Fifty Musa / Ref. 6259 / P70
5x5 cm / Packing Two



Fifty Doga / Ref. 6260 / P70
5x5 cm / Packing Two





/ Fifty Landa-A

STONIE
FIELDY

STONE FIFTY



Fifty Alpha-A / Ref. 6232 / D50
5 x 5 cm - 2" x 2" / Packing Two



Fifty Seth-A / Ref. 6233 / D50
5 x 5 cm - 2" x 2" / Packing Two



Fifty Landa-A / Ref. 6231 / D50
5 x 5 cm - 2" x 2" / Packing Two







/ Sand Rock Zement

SAND ROCK


SAND ROCK



Sand Rock Bone / Ref. 5616 / D10 2,5x2,5 cm / Packing One




Sand Rock Zement / Ref. 5614 / D10 2,5x2,5 cm / Packing One



Sand Rock Polaris / Ref. 5615 / D10 2,5x2,5 cm / Packing One



/ Sand Rock Polaris



/ Special Finishes GN104-A

SPECIAL FINISHES

SPECIAL FINISHES

SPECIAL FINISHES



Angle GN400-A / Ref. 4927 / P100	5x5 cm / Packing Angle
Angle GN104-A / Ref. 4929 / P100	5x5 cm / Packing Angle
Angle GN500-A / Ref. 4931 / P100	5x5 cm / Packing Angle
Angle Fluor White-A / Ref. 4933 / P105	5x5 cm / Packing Angle




Bind GN400-A / Ref. 4928 / P100	5x5 cm / Packing Bind
Bind GN104-A / Ref. 4930 / P100	5x5 cm / Packing Bind
Bind GN500-A / Ref. 4932 / P100	5x5 cm / Packing Bind
Bind Fluor White-A / Ref. 4934 / P105	5x5 cm / Packing Bind



AB1 GN400-A / Ref. 4981 / P110	5x5 cm / Sold by Unit	AB2 GN400-A / Ref. 4982 / P110	5x5 cm / Sold by Unit
AB1 GN104-A / Ref. 4976 / P110	5x5 cm / Sold by Unit	AB2 GN104-A / Ref. 4977 / P110	5x5 cm / Sold by Unit
AB1 GN500-A / Ref. 4986 / P110	5x5 cm / Sold by Unit	AB2 GN500-A / Ref. 4987 / P110	5x5 cm / Sold by Unit
AB1 Fluor White-A / Ref. 4991 / P115	5x5 cm / Sold by Unit	AB2 Fluor White-A / Ref. 4992 / P115	5x5 cm / Sold by Unit

SPECIAL FINISHES



AB3 GN400-A / Ref. 4983 / P110

5x5 cm / Sold by Unit

AB3 GN104-A / Ref. 4978 / P110

5x5 cm / Sold by Unit

AB3 GN500-A / Ref. 4988 / P110

5x5 cm / Sold by Unit

AB3 Fluor White-A / Ref. 4993 / P115

5x5 cm / Sold by Unit



AB4 GN400-A / Ref. 4984 / P110

5x5 cm / Sold by Unit

AB4 GN104-A / Ref. 4979 / P110

5x5 cm / Sold by Unit

AB4 GN500-A / Ref. 4989 / P110

5x5 cm / Sold by Unit

AB4 Fluor White-A / Ref. 4994 / P115

5x5 cm / Sold by Unit

SPECIAL FINISHES



AB5 GN400-A / Ref. 4985 / P110

5x5 cm / Sold by Unit

AB5 GN104-A / Ref. 4980 / P110


5x5 cm / Sold by Unit

AB5 GN500-A / Ref. 4990 / P110

5x5 cm / Sold by Unit

AB5 Fluor White-A / Ref. 4995 / P115


5x5 cm / Sold by Unit



AB1



AB2



AB3



AB4



AB5

“DIGITAL PRINT FOR POOLS”

Building a new pool is exciting, and decorating it is even more so.

At Squamers we make it possible for you to create the designs that best suit your style, with digital decorations that can be applied directly to the mosaic itself. The possibilities are endless: marine and wildlife motifs, tattoos, unique textures, hydraulic designs...

Simply send us your design - one you have created or a reference as to how you would like your pool to look - along with the measurements of the decoration you have in mind, and we will make it happen. Our expert design team will study your proposal and provide you with the solution that best captures that personal and exclusive touch.

Costruire una piscina è un progetto emozionante. Personalizzarla, un'occasione per renderla davvero unica.

È possibile trasformare ogni mosaico in una superficie decorativa su misura, grazie alla tecnologia di stampa digitale diretta. Realizziamo grafiche esclusive direttamente sul mosaico: motivi marini, fauna acquatica, texture personalizzate, design geometrici o effetti artistici. Nessun limite alla creatività.

È sufficiente inviare un file grafico, una bozza o anche solo un riferimento visivo, insieme alle misure desiderate: un team tecnico e creativo analizzerà il progetto e fornirà la soluzione più adatta dal punto di vista estetico e funzionale.

Tecnologia, precisione e design si fondono per dare alla piscina un'identità visiva esclusiva e memorabile





TECHNICAL AREA

/TECHNICAL CHARACTERISTICS

TECHNICAL CHARACTERISTICS

Series	Test UNE-EN-ISO 10545-3	Test UNE-EN-ISO 101-92=101	Test UNE-EN-ISO 10545-9	Test UNE-EN-ISO 10545-12	Test UNE-EN-ISO 10545-13:1998 Resistance to chemical attack.		
	Water Absorption.	Surface hardness. Mohs.	Resistance to thermal shocks.	Frost Resistance.	Domestic products.	Pool water additives.	Low acid and alkalins.
Geinuine	None	4	Resistant	Resistant	GA	GA	GLA
Geinuine - F	None	4	Resistant	Resistant	GA	GA	GLA
Geinuine - A	None	5	Resistant	Resistant	GA	GA	GLA
Genuine Pearl	None	4	Resistant	Resistant	GA	GA	GLA
Spirit	None	4	Resistant	Resistant	GA	GA	GLA
Identity	None	4	Resistant	Resistant	GA	GA	GLA
Identity Fifty	None	4	Resistant	Resistant	GA	GA	GLA
Stone Fifty	None	5	Resistant	Resistant	GA	GA	GLA
Sand Rock	None	4	Resistant	Resistant	GA	GA	GLA
Special Finishes	None	5	Resistant	Resistant	GA	GA	GLA

Test UNE-EN-ISO 10545-13:1998	Test UNE-EN-ISO 10545-14	Test UNE-EN-ISO 10545-11=1997	DIN 51094	DCOF Wet Dynamic Coefficient of Friction	DIN 51130:2004	DIN 51097	Test UNE-ENV 12633:2003 (CTE)
High acid and alkalins.	Resistance to staining.	Cracking.	Colour stability on exposure to light and UV rays.	ANSI A137.1-2017 According Standard.	SLIP Ressistance wearing shoes.	SLIP Ressistance in bare feet.	Anti skid coefficient, suitable for outdoor use and swimming pools.
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant	≥ 0,42	R11	Class C	Class 3
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant	≥ 0,42	R11	Class C	Class 3
GHA	Class 5	Resistant	Resistant				
GHA	Class 5	Resistant	Resistant	≥ 0,42	R11	Class C	Class 3

/TECHNICAL CHARACTERISTICS

SUITABILITY AREA PRODUCT & COMPOSITION GUIDE

	Wall	Floor	Wet areas	Pools	Material
Genuine	Int/Ext	Residential	Yes	Yes	Glass
Geinuine - F	Int/Ext	Residential	Yes	Yes	Glass
Geinuine - A	Int/Ext	Residential	Yes	Yes	Glass
Genuine Pearl	Int/Ext	Residential	Yes	Yes	Glass
Spirit	Int/Ext	Residential	Yes	Yes	Glass
Identity	Int/Ext	Residential	Yes	Yes	Glass
Identity Fifty	Int/Ext	No	Yes	Yes	Glass
Stone Fifty	Int/Ext	Residential	Yes	Yes	Glass
Sand Rock	Int/Ext	Residential	Yes	Yes	Glass
Special Finishes	Int/Ext	Residential	Yes	Yes	Glass



/ABOUT MOSAIC



Made
in Spain



98%
Recycled Glass



Antislip
C3 / R11



0%
Water Absortion



Colour
Unalterable

FIFTY GLASS MOSAIC

This Artisan-edge glass mosaic is made with recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.


L'aspetto artigianale del mosaico in vetro della linea FIFTY è una caratteristica intrinseca di questi prodotti, legata al loro processo di fabbricazione. Le tessere possono presentare leggere irregolarità e piccole imperfezioni dimensionali, conferendo un'estetica rustica e meno rigorosa rispetto alla perfezione geometrica. La riduzione delle dimensioni e le variazioni cromatiche possono influenzare l'aspetto delle fughe e modificare l'estetica naturale del mosaico. L'utilizzo del prodotto implica l'accettazione di tale avvertenza.

GLASS MOSAIC

All 98% recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products. Use constitutes acceptance.

Tutte le serie, realizzate con il 98% di vetro riciclato, sono prodotte con vetro fuso. Questo materiale presenta caratteristiche particolari che possono causare lievi irregolarità e variazioni di dimensione nelle tessere: una qualità intrinseca del prodotto e del processo produttivo standard. La riduzione dimensionale e le variazioni di tonalità possono influire sull'aspetto delle fughe e modificare l'estetica naturale di questi mosaici. L'utilizzo del prodotto implica l'accettazione di tale avvertenza.

/DOT LINK



GREAT GRIP.

92% of the glass mosaic tile surface stays clean and therefore makes it ideal for glue cement to be applied.

FAST INSTALLATION.

A 27% time saving in its installation in comparison with its traditional supports.

MAXIMUM FLEXIBILITY.

Full adaptability to any type of surface: corners, curved, irregular finishes ...

HIGH RESISTANCE.

Resistant to weather changing conditions, chemical treatments and unalterable to UV rays.

MINIMUM THICKNESS.

An even thickness which conceals the surface of the grouting.

VISUAL CONTROL.

Unlike paper support, when you visualize the mosaic in the installation it is possible to create drawings and shapes.

ADERENZA PERFETTA

Il 92% della superficie del mosaico resta libera, garantendo un'ottima presa del collante cementizio per un fissaggio sicuro e duraturo.

INSTALLAZIONE ULTRARAPIDA

Fino al 27% di tempo risparmiato rispetto ai metodi tradizionali. Più veloce, più efficiente.

FLESSIBILITÀ TOTALE

Si adatta perfettamente a qualsiasi superficie: angoli, curve, forme irregolari. Nessun limite alla creatività.

RESISTENZA ASSOLUTA

Inalterabile agli agenti atmosferici, ai trattamenti chimici e ai raggi UV. Ideale per ambienti esterni e interni.

SPESSORE RIDOTTO E UNIFORME

Uno spessore omogeneo che nasconde perfettamente la stuccatura, per un effetto visivo impeccabile.

CONTROLLO VISIVO IN TEMPO REALE

A differenza dei supporti in carta, il mosaico è visibile durante la posa, permettendo la creazione precisa di disegni e geometrie.

/PACKING DETAILS

PACKING ONE / CUBE / 25x25 mm (1"x1")

Sheet / Foglio	Box / Collo	Pallet / Pallet	Euro Pallet / Euro Pallet
Size / Dimensioni: 311x467 mm (12.24"x18.38")	Sheets / Fogli: 14	Boxes / Colli: 60	Boxes / Colli: 50
Thickness / Spessore: 4.5 mm (0.177")	Quantity / Quantità: 2.03 m² (21.85 sqft)	Quantity / Quantità: 121.8 m² (1.311.04 sqft)	Quantity / Quantità: 101.5 m² (1.092.53 sqft)
Weight / Peso: 1.31 Kg (2.88 lb)	Weight/ Peso: 18.3 Kg (40.34 lb)	Gross weight / Peso Lordo: 1.098 Kg (2.420.67 lb)	Gross weight / Peso Lordo: 915 Kg (2.017.23 lb)


PACKING TWO / FIFTY / 50x50 mm (2"x2")

Sheet / Foglio	Box / Collo	Pallet / Pallet	Euro Pallet / Euro Pallet
Size / Dimensión: 311x311 mm (12.24"x12.24")	Sheets / Fogli: 10	Boxes / Colli: 108	Boxes / Colli: 72
Thickness / Spessore: 5.5 mm (0.216")	Quantity / Quantità: 0.98 m² (10.54 sqft)	Quantity / Quantità: 105.84 m² (1.139.25 sqft)	Quantity / Quantità: 70.56 m² (759.50 sqft)
Weight / Peso: 1.15 Kg (2.53 lb)	Weight/ Peso: 11.49 Kg (25.33 lb)	Gross weight / Peso Lordo: 1.240.75 Kg (2.735.38 lb)	Gross weight / Peso Lordo: 827.16 Kg (1.823.57 lb)

SPECIAL FINISHES

Sheet / Foglio	Box / Collo	Pallet / Pallet	Euro Pallet / Euro Pallet
Angle & Bind. Are sold by box.	Tesserae / Teselas: 96	Boxes / Colli: 180	Boxes / Colli: 200
Thickness / Spessore: 5.5 mm (0.216")	Quantity / Quantità: 5 m (16.4 ft)	Quantity / Cantidad: 900 m (2.952.76 ft)	Quantity / Quantità: 1000 m (3.280.84 ft)
	Weight/ Peso: 3.1 Kg (6.83 lb)	Gross weight / Peso Lordo: 561.7 Kg (1.238.33 lb)	Gross weight / Peso Lordo: 634.8 Kg (1.399.49 lb)

/APPLICATION ADVICE



THE GLUEING OPERATION

White C2 glue, as per EN-12004, must be used. By using the smooth side of the trowel, the glue has to be spread out uniformly on the base (2 sq.m. approximately). By using the jagged side of the trowel (2 or 3 mm.), comb the glue.

OPERAZIONE DI INCOLLAGGIO

Utilizzare un adesivo cementizio di tipo C2 di colore bianco, conforme alla norma EN-12004. Stendere uniformemente l'adesivo sulla superficie utilizzando il lato liscio della spatola (circa 2 m²). Successivamente, spatolare l'adesivo con il lato dentato della spatola (2 o 3 mm).



THE LAYING OF MOSAIC TILES

Adhere the sheet to the surface by pressing with a rubber trowel. It is important to make sure that the distance between one sheet and another is the same as the one among the tesseras so that all the joints look alike. We suggest to join the sheets when it comes to laying.

POSA DEL MOSAICO

Applicare il foglio sulla superficie premendo con una spatola in gomma. È importante assicurarsi che la distanza tra un foglio e l'altro sia uguale a quella tra le singole tessere, così da ottenere fughe uniformi. Si consiglia di sfalsare i fogli durante la posa.



GROUTING

Joints must be clean, dry and free from dust. The remains of adhesive, after laying, must be removed while it is still fresh. Use grouting paste, RG type, as per EN 13888, spread it out with a rubber trowel.

STUCCATURA

Le fughe devono essere pulite, asciutte e prive di polvere. I residui di adesivo devono essere rimossi quando sono ancora freschi. Utilizzare una pasta per fughe di tipo RG conforme alla norma EN 13888, distribuendola con una spatola in gomma.



CLEANING

Let it dry until the paste gets brightless, superficially, and then proceed to clean it with a sponge soaked in water. Once it gets dry, remove it with a dry cloth.

PULIZIA

Lasciare asciugare fino a quando la pasta perde la brillantezza superficiale, quindi procedere alla pulizia con una spugna inumidita con acqua. Una volta asciutto, rimuovere eventuali residui con un panno asciutto.